

Vewell

LED All In One

All-in-One Solution for Your Digital Display Needs



16:9 Aspect ratio



Super wide view angle



Integrated design



Easy maintenance



Removable or wall mounting

Product Introduction

Vewell LED All In One display is equipped with cutting-edge full flip chip and common cathode technology, which not only saves energy but also enhances the overall efficiency. Unparalleled picture quality and exceptional color performance set a new standard for impressive visual experiences of online meeting.

Product Features

- View-friendly
- Wide color gamut
- Android Platform
- Interactive Function
- Remote Control/Infrared Touch (Optional)
- One Click Screen Sharing
- Super Slim Video Wall
- Support 4K

ADVANCED COLOR PROCESSING



Color Enhancement



Image Sharpening



Image Noise Reduction



High Contrast Ratio



View-friendly

High refresh rate and high contrast ratio make for a friendly view.

Wide color gamut

Wide color gamut options for different content display



ONE DISPLAY MEETS ALL NEEDS:

Split Screen



one screen



4 window



9 window(need pay extra)

- Supports screen mirroring of PC, smartphone and ipad.
- Share screens from up to 9 devices simultaneously.



Windows PC



Mac PC



Ipad



Android/Apple



Remote Control

With remote control easy to adjust volume, brightness, open file to play .


One Click Screen Sharing

Use wireless dongle to make a fast sharing.



Android Platform

Android13(4k) opening platform for various APPs install, meet your need.



Super Slim Video Wall

Whole screen thickness only 28mm, create ultra-thin display experience.

PRODUCT INSTALLATION



Mobile stand



Wall mounting

ACCESSORIES



Camera



Loud Speaker



Remote Control



Wireless Dongle




IR Pen



Mobile Stand

APPLICATION SCENARIOS

Conference Rooms



Education/Training



Data Center



Corporate Boardrooms



SPECIFICATION

Model	VAC4K108-AW	VAC4K130-AW	VAC4K135-AW	VAC4K163-AW	VAC4K217-AW
Pixel Pitch (mm)	P0.625	P0.75	P0.78	P0.93	P1.25
Pixel Configuration	COB				
Display Size (mm)(W×H)	2400×1350	2880×1620	3000×1687.5	3600×2025	4800×2700
Overall Weight (kg)	80	115	120	172	305
OPTICAL PARAMETERS					
Resolution (W×H)	3840×2160				
Frame Rate (Hz)	50/60				
Refresh Rate (Hz)	3840-7680				
Brightness (nits)	1000				
Gray Scale (bit)	14-16				
Color Temp (K)	2000~12000				
ELECTRICAL PARAMETERS					
Max. Power Consumption (W)	≤1500	≤3200	≤2500	≤3280	≤5832
Avg. Power Consumption (W)	≤500	≤1088	≤840	≤1100	≤1944
Working Voltage (V)	AC: 110V~240V, 50~60Hz				
ELECTRICAL PARAMETERS					
Lifetime (Hrs)	100,000				
Operation Humidity (RH)	10%-80%				
Interface	HDMI×3, 3.5×1, USB3.0×1, USB2.0×1, Rj45×1				
WIFI Mode	Wifi-5G band×1, Wifi-2.4G band×1, Wifi-AP×1				